

T-Handle socket wrenches 1000 V

chrome vanadium steel, full insulated, for hexagon nuts, DIN 7440, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	BL	handle	kg	PU
110000	10	200	160	0,300	1
110002	11	200	160	0,315	1
110004	12	200	160	0,320	1
110006	13	200	160	0,320	1
110008	14	200	160	0,426	1
110010	17	200	160	0,401	1
110012	19	200	160	0,430	1
110022	11	300	160	0,429	1
110024	12	300	160	0,375	1
110026	13	300	160	0,380	1
110028	14	300	160	0,385	1
110030	17	300	160	0,534	1
110032	19	300	160	0,556	1
110034	22	300	160	0,662	1
110036	24	300	160	0,990	1

Cross type socket wrenches 1000 V

chrome vanadium steel, no contact with steel insert, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	BL	kg	PU
110070	10-11-14-17	200	0,451	1
110074	11-12-13-17	200	0,225	1
110076	10-13-14-17	200	0,455	1
110078	11-13-14-17	200	0,449	1
110080	13-17-19-22	200	0,502	1

Counter hold spanners 1000 V

chrome vanadium steel (31 CrV 3), 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	TL	kg	PU
110081	10	200	0,118	1
110083	12	200	0,120	1
110084	13	200	0,140	1
110085	14	250	0,150	1
110087	16	260	0,249	1
110089	17	270	0,255	1
110091	18	265	0,250	1
110093	19	270	0,275	1
110095	20	275	0,300	1
110097	22	275	0,300	1
110099	24	270	0,350	1

Right angle allen keys 1000 V

chrome vanadium steel, for hexagon socket screws, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	kg	PU
110042	3	0,016	1
110044	4	0,029	1
110046	5	0,045	1
110048	6	0,051	1
110050	8	0,103	1
110052	10	0,220	1
110054	12	0,352	1

T-handle allen keys 1000 V

chrome vanadium steel, for screws with hexagon inserts, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	kg	PU
110060	5	0,222	1
110062	6	0,227	1
110064	8	0,224	1

Single ended spanners 1000 V

chrome vanadium steel, full insulated, offset at 15°, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	TL	strength	kg	PU
110260	6	75	3	0,021	1
110262	7	80	3,5	0,020	1
110264	8	85	3,5	0,032	1
110266	9	100	4	0,035	1
110268	10	120	5	0,035	1
110270	11	130	5,5	0,044	1
110272	12	140	5,5	0,064	1
110274	13	155	6	0,061	1
110276	14	170	6	0,084	1
110278	17	185	6,5	0,121	1
110280	19	210	7,5	0,140	1
110282	22	230	8,5	0,215	1
110284	24	250	9,5	0,242	1
110286	27	290	11,5	0,338	1
110288	30	345	13	0,390	1
110290	32	350	15	0,503	1

Single ended tool set acc. to VDE 1000 V

in tool wallet of black imitation leather. **Contents:** 8 single ended tools of chrom vanadium steel, offset at 15°, 2-coloured coating-insulation - inside yellow/outside red.

Populated with:

- Size of key 10, 11, 12, 13, 14, 17, 19, 22



Art. no.	set	empty	kg	PU
220017	8-pieces	220002	1,181	1

Ring spanners 1000 V


chrome vanadium steel, full insulated, offset at 75°, 2-coloured coating-insulation - inside yellow/outside red



Art. no.	WS	TL	kg	PU
110300	6	140	0,061	1
110302	7	140	0,066	1
110304	8	150	0,084	1
110306	9	155	0,066	1
110308	10	160	0,092	1
110310	11	170	0,089	1
110312	12	180	0,130	1
110314	13	195	0,132	1
110316	14	205	0,147	1
110318	17	240	0,233	1
110320	19	260	0,236	1
110322	22	280	0,345	1
110324	24	280	0,357	1

Ratchet ring spanners 1000 V

full insulated, 2-coloured coating-insulation - inside yellow/outside red




72 sprockets

Art. no.	WS	kg	PU
110870	8	0,032	1
110872	9	0,040	1
110874	10	0,050	1
110876	11	0,059	1
110878	12	0,065	1
110880	13	0,076	1
110882	14	0,086	1
110884	15	0,105	1
110886	16	0,130	1
110888	17	0,161	1
110890	18	0,179	1
110892	19	0,215	1

Adjustable wrenches to DIN 3117 A 1000 V

steel forged, 2-coloured coating-insulation - inside yellow/outside red



Art. no.	WS max.	TL	kg	PU
110555	26	200	0,325	1
110556	31	250	0,512	1
110557	36	300	0,809	1

haupa®

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

Reversible ratchet 1000 V

1/4"

full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220577	1/4"	150	0,145	1

Fittings for hexagon socket screws 1000 V

1/4"

1/4" square drive, made of chrome vanadium steel, forged, oil hardened, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
220591	3	1/4"	55	0,016	1
220592	4	1/4"	55	0,012	1
220593	5	1/4"	55	0,012	1
220594	6	1/4"	55	0,024	1

Socket T-wrench 1000 V

1/4"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220578	1/4"	125	0,085	1

Extensions 1000 V

1/4"

with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220579	1/4"	100	0,050	1
220580	1/4"	150	0,070	1

Hexagon sockets 1000 V

1/4"

1/4" square drive, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
220581	5	1/4"	40	0,011	1
220582	6	1/4"	40	0,011	1
220583	7	1/4"	40	0,012	1
220584	8	1/4"	40	0,013	1
220585	9	1/4"	40	0,014	1
220586	10	1/4"	40	0,014	1
220587	11	1/4"	40	0,017	1
220588	12	1/4"	40	0,018	1
220589	13	1/4"	40	0,021	1
220590	14	1/4"	40	0,023	1

Tool case 1000 V

1/4"

made of plastic, complete with 1/4" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

Contents:

- Reversible ratchet 150 mm, 1/4"
- T-slip-on-keys 125 mm, 1/4"
- Extension 100 and 150 mm, 1/4"
- Sockets 1/4", 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- Dies for hexagon screws 1/4", 3, 4, 5, 6 mm



1000 V IEC 60900

Video 220576



Art. no.	set	drive	kg	PU
220576 *	18-pieces	1/4"	1,250	1

Reversible ratchet 1000 V

1/4"

full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110810	1/4"	135	0,122	1

Torque wrench 1000 V

TQ 1/4"

reversible ratchet system, fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900

TQ



Art. no.	drive	torque	TL	kg	PU
110812	1/4"	2-12	200	0,250	1
110813	1/4"	5-25	200	0,420	1

Socket T-wrench 1000 V

1/4"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110818	1/4"	115	0,156	1

Extensions 1000 V

1/4"

with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110814	1/4"	75	0,043	1
110816	1/4"	125	0,054	1

Extension with bit adapter 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	bit adapter	drive	TL	kg	PU
110860	1/4"	1/4"	40	0,023	1

Hexagon sockets 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
110820	5	1/4"	25	0,012	1
110822	6	1/4"	25	0,012	1
110824	7	1/4"	25	0,014	1
110826	8	1/4"	25	0,011	1
110828	9	1/4"	25	0,016	1
110830	10	1/4"	25	0,014	1
110832	11	1/4"	25	0,020	1
110834	12	1/4"	25	0,021	1
110836	13	1/4"	25	0,021	1
110838	14	1/4"	25	0,034	1

Inserts for hexagon socket screws 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	drive	kg	PU
110840	3	1/4"	0,010	1
110842	4	1/4"	0,014	1
110844	5	1/4"	0,014	1
110846	6	1/4"	0,015	1
110848	8	1/4"	0,021	1

Handles with bit adapter 1000 V

1/4"

fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	bit adapter	drive	TL	kg	PU
110864	1/4"	1/4"	120	0,160	1
110866	1/4"	1/4"	160	0,248	1
110868	1/4"	1/4"	250	0,310	1

Tool case for household connections 1000 V

1/4"

Plastic case with foam insert, with 1/4" insert tools.
Dimensions: 450 x 340 x 100 mm.

Contents:

- 1 torque wrench 1/4" 5 - 25 Nm
- 3 extensions 1/4" 75 - 100 - 150 mm
- 2 bit holders 1/4" DIN 3126/FORM C 6,3
- 5 inserts 1/4" 6, 8, 10, 13, 14
- 10 hexagonal bits 5, 6, 8
- Slots 4, 5.5, 6.5
- PZ/FL 1, 2
- PH 1, 2

1000 V IEC 60900



TQ

Art. no.	set	drive	kg	PU
110869	21-pieces	1/4"	1,000	1

Tool case 1000 V

1/4"

Plastic case with foam insert, with 1/4" insert tools.
Dimensions: 450 x 340 x 100 mm.

Contents:

- 1 ratchet 1/4"
- 1 bit holder 1/4"
- 1 T-fitting 1/4"
- 4 extensions 1/4"
- 10 inserts 1/4", 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- 5 hexagonal inserts 1/4" 3, 4, 5, 6, 8

1000 V IEC 60900



Art. no.	set	drive	kg	PU
110871	22-pieces	1/4"	1,600	1

haupa®

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com



Reversible ratchet 1000 V

3/8"

full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220410	3/8"	200	0,300	1

Torque wrench 1000 V

TQ 3/8"

5 - 50 Nm, full insulated, from shock-resistant plastic, with built-in reversible ratchet, right-handed rotation with collet. The achievement of the set torque is made noticeable by a clearly audible or tactile mechanism.



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220415	3/8"	385	0,950	1

Socket T-wrench 1000 V

3/8"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220412	3/8"	200	0,241	1

Extensions 1000 V

3/8"

with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220414	3/8"	125	0,150	1
220416	3/8"	250	0,250	1

Hexagon sockets 1000 V

3/8"

3/8" square drive, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
220418	8	3/8"	44,5	0,027	1
220420	10	3/8"	44,5	0,027	1
220422	12	3/8"	44,5	0,029	1
220424	13	3/8"	44,5	0,032	1
220426	14	3/8"	44,5	0,035	1
220428	17	3/8"	44,5	0,047	1
220430	19	3/8"	46,0	0,051	1
220432	22	3/8"	46,0	0,063	1

Fittings for hexagon socket screws 1000 V

3/8"

3/8" square drive, made of chrome vanadium steel, forged, oil hardened, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
220434	4	3/8"	60,0	0,036	1
220436	5	3/8"	60,0	0,040	1
220438	6	3/8"	60,0	0,041	1
220440	8	3/8"	60,0	0,042	1

Tool case 1000 V

3/8"

made of plastic, complete with 3/8" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 286 x 255 x 54 mm.

Contents:

- Reversible ratchet 200 mm, 3/8"
- T-slip-on-keys 200 mm, 3/8"
- Extension 150 and 250 mm, 3/8"
- Sockets 3/8", 8, 10, 12, 13, 14, 17, 19, 22 mm
- Dies for hexagon screws 3/8", 4, 5, 6, 8 mm



1000 V IEC 60900



Art. no.	set	drive	kg	PU
220402 *	16-pieces	3/8"	2,500	1

Reversible ratchet 1000 V

3/8"

full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110331/EN	3/8"	190	0,402	1

Locked torque wrench 1000 V

TQ 3/8"

reversible ratchet system, fixed factory-provided value, possible value between 5-27 Nm, value must be indicate before delivery, full insulated, 2-coloured coating-insulation - inside yellow/outside red. **Torque must be specified when ordering!**

1000 V IEC 60900

TQ



Art. no.	drive	torque	TL	kg	PU
300310/EN	3/8"	5-27	280	0,951	1

Torque wrenches 1000 V

TQ 3/8"

reversible ratchet system, fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900

TQ



Art. no.	drive	torque	TL	kg	PU
110055/EN	3/8"	5-25	200	0,350	1
110056/EN	3/8"	5-25	280	0,920	1
110065/EN	3/8"	5-50	370	1,194	1

Torque T key 1000 V

TQ 3/8"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	drive	torque	TL	kg	PU
110071	3/8"	12 Nm	150	0,540	1
110073	3/8"	18 Nm	150	0,540	1
110075	3/8"	25 Nm	150	0,540	1

Torque stoppers 1000 V

TQ 3/8"

with short extension, locable for all sockets with 3/8" drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	drive	torque	kg	PU
110456/EN	3/8"	-12	0,220	1
110457/EN	3/8"	-18	0,220	1
110458/EN	3/8"	-25	0,224	1

Socket T-wrench 1000 V

3/8"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900



Art. no.	drive	BL	handle	kg	PU
110039/EN	3/8"	200	160	0,369	1

Extensions 1000 V

3/8"

with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110337/EN	3/8"	125	0,292	1
110335/EN	3/8"	250	0,280	1

Extensions with bit adapter 1000 V

3/8"

full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	bit adapter	drive	TL	kg	PU
110861	1/4"	3/8"	125	0,137	1

Hexagon sockets 1000 V

3/8"

3/8" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
110363/EN	8	3/8"	40	0,035	1
110364/EN	9	3/8"	40	0,032	1
110365/EN	10	3/8"	40	0,036	1
110366/EN	11	3/8"	40	0,037	1
110367/EN	13	3/8"	40	0,032	1
110368/EN	17	3/8"	40	0,050	1
110369/EN	19	3/8"	40	0,060	1
110371/EN	14	3/8"	40	0,070	1
110700/EN	12	3/8"	40	0,070	1
110702/EN	22	3/8"	40	0,061	1

Hexagon sockets 1000 V, extra long



3/8" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red



Art. no.	WS	drive	TL	kg	PU
110710	10	3/8"	125	0,180	1
110712	12	3/8"	125	0,200	1
110713	13	3/8"	125	0,210	1
110714	14	3/8"	125	0,220	1
110715	17	3/8"	125	0,240	1
110716	19	3/8"	125	0,260	1
110717	22	3/8"	125	0,280	1

Fittings for hexagon socket screws 1000 V



3/8" square drive, 4 edge drive, made of chrome vanadium steel, forged, oil hardened, full insulated, 2-coloured coating-insulation - inside yellow/outside red



Art. no.	WS	drive	TL	kg	PU
300302/EN	4	3/8"	65	0,068	1
300296/EN	5	3/8"	65	0,065	1
300298/EN	6	3/8"	65	0,068	1
300299/EN	8	3/8"	65	0,070	1
300305/EN	10	3/8"	65	0,082	1

Tool case 1000 V



made of plastic, complete with 3/8" tools. Dimension: 450 x 340 x 100 mm.

Contents:

- Reversible ratchet 3/8"
- Extension 125 mm, 3/8"
- Extension 250 mm, 3/8"
- T-slip-on-keys 3/8"
- Sockets 3/8" (10, 11, 12, 13, 14, 17, 19, 22 mm)
- Dies for hexagon screws 3/8", 5, 6, 8 mm
- Torque stopper (12 to 25 Nm)
- 2C-VDE screwdriver 3,5 x 100 mm

with
locking system



Art. no.	set	drive	kg	PU
220147	17-pieces	3/8"	3,400	1

Tool case 1000 V



made of plastic, complete with 3/8" tools. Dimension: 400 x 290 x 110 mm.

Contents:

- Reversible ratchet 3/8"
- Extension 125 mm, 3/8"
- Extension 250 mm, 3/8"
- T-slip-on-keys 3/8"
- Sockets 3/8", 8, 10, 13, 17, 19 mm
- Dies for hexagon screws 3/8", 4, 5, 6, 8 mm

without
locking system



Art. no.	set	drive	kg	PU
220212	13-pieces	3/8"	2,500	1

Tool case 1000 V



Plastic case with foam insert, with 3/8" insert tools.
Dimensions: 400 x 290 x 110 mm.

Contents:

- 1 torque wrench 3/8" 5-50 Nm
- 2 extensions 3/8" 125/250 mm
- 5 inserts, extra deep in the sizes 10, 13, 14, 17, 19 mm
- 5 inserts for hexagonal screws 3/8" in 4, 5, 6, 8, 10 mm
- Alignment tool for sector-shaped conductors 3/8" in 95-150 mm



Art. no.	set	drive	kg	PU
110873	14-pieces	3/8"	3,870	1

haupa®

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com

Reversible ratchet 1000 V

1/2"

full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220450	1/2"	250	0,550	1

Fittings for hexagon socket screws 1000 V

1/2"

1/2" square drive, made of chrome vanadium steel, forged, oil hardened, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
220486	4	1/2"	120,0	0,113	1
220488	5	1/2"	120,0	0,113	1
220490	6	1/2"	120,0	0,113	1
220492	8	1/2"	120,0	0,115	1
220494	10	1/2"	120,0	0,134	1

Socket T-wrench 1000 V

1/2"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220452	1/2"	200	0,330	1

Extensions 1000 V

1/2"

with locking device against accidental loosening of sockets or extensions, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
220454	1/2"	125	0,208	1
220456	1/2"	250	0,411	1

Hexagon sockets 1000 V

1/2"

1/2" square drive, full insulated, from shock-resistant plastic



1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
220458	10	1/2"	55,0	0,055	1
220460	11	1/2"	55,0	0,055	1
220462	12	1/2"	55,0	0,058	1
220464	13	1/2"	55,0	0,058	1
220466	14	1/2"	55,0	0,061	1
220468	17	1/2"	55,0	0,069	1
220470	19	1/2"	57,0	0,072	1
220478	22	1/2"	57,0	0,087	1
220480	24	1/2"	57,0	0,095	1
220482	27	1/2"	57,0	0,125	1
220484	32	1/2"	57,0	0,170	1

Tool case 1000 V

1/2"

made of plastic, complete with 1/2" tools. The plastic material used for socket sets is guaranteed to pass -40°C impact tests. This guarantee that the insulation value will not be compromised due to impact. Dimension: 380 x 316 x 61 mm.

Contents:

- Reversible ratchet 250 mm, 1/2"
- T-slip-on-keys 200 mm, 1/2"
- Extension 125 and 250 mm, 1/2"
- Sockets 1/2", 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 32 mm
- Dies for hexagon screws 1/2", 4, 5, 6, 8, 10 mm



1000 V IEC 60900

Video 220404



Art. no.	set	drive	kg	PU
220404	20-pieces	1/2"	4,000	1

Reversible ratchet 1000 V

1/2"

full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110332/EN	1/2"	255	0,687	1

Locked torque wrench 1000 V

TQ 1/2"

reversible ratchet system, fixed factory-provided valve, possible valve between 5-27 Nm, valve must be indicate before delivery, full insulated, 2-coloured coating-insulation - inside yellow/outside red. **Torque must be specified when ordering!**

1000 V IEC 60900

TQ



Art. no.	drive	torque	TL	kg	PU
300312/EN	1/2"	5-27	280	1,052	1

Torque wrenches 1000 V

TQ 1/2"

reversible ratchet system, fully insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900

TQ



Art. no.	drive	torque	TL	kg	PU
110058/EN	1/2"	2-27	280	1,034	1
110066/EN	1/2"	5-50	370	1,121	1
110067/EN	1/2"	20-100	460	1,493	1
110068/EN	1/2"	60-220	530	1,300	1

Socket T-wrench 1000 V

1/2"

chrome vanadium steel, tempered, with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	BL	handle	kg	PU
110040/EN	12,5	200	160	0,457	1

Extensions 1000 V

1/2"

with locking device against accidental loosening of sockets or extensions, full insulated, 2-coloured coating-insulation - inside yellow/outside red



1000 V IEC 60900



Art. no.	drive	TL	kg	PU
110336/EN	1/2"	125	0,197	1
110338/EN	1/2"	250	0,389	1

Extensions with bit adapter 1000 V

1/2"

full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	bit adapter	drive	TL	kg	PU
110862	1/4"	1/2"	250	0,165	1

Hexagon sockets 1000 V

1/2"

1/2" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
110339/EN	8	1/2"	50	0,080	1
110340/EN	10	1/2"	50	0,056	1
110342/EN	11	1/2"	50	0,062	1
110344/EN	12	1/2"	50	0,062	1
110346/EN	13	1/2"	50	0,066	1
110348/EN	14	1/2"	50	0,063	1
110350/EN	17	1/2"	50	0,076	1
110352/EN	19	1/2"	50	0,072	1
110354/EN	22	1/2"	50	0,104	1
110356/EN	24	1/2"	50	0,141	1
110358/EN	27	1/2"	50	0,191	1
110360/EN	30	1/2"	50	0,224	1
110362/EN	32	1/2"	50	0,268	1

Hexagon sockets DIN 7448, 1000 V, 80 mm

1/2"

extra long, 1/2" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
110373/EN	10	1/2"	80	0,085	1
110374/EN	11	1/2"	80	0,110	1
110375/EN	13	1/2"	80	0,123	1
110376/EN	14	1/2"	80	0,119	1
110377/EN	17	1/2"	80	0,157	1
110378/EN	19	1/2"	80	0,168	1
110379/EN	22	1/2"	80	0,230	1

Hexagon sockets, 1000 V, 125 mm

1/2"

extra long, 1/2" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red

1000 V IEC 60900



Art. no.	WS	drive	TL	kg	PU
110346/125	13	1/2"	125	0,250	1
110348/125	14	1/2"	125	0,260	1
110350/125	17	1/2"	125	0,280	1
110352/125	19	1/2"	125	0,295	1
110354/125	22	1/2"	125	0,310	1
110356/125	24	1/2"	125	0,330	1
110358/125	27	1/2"	125	0,350	1
110360/125	30	1/2"	125	0,380	1
110362/125	32	1/2"	125	0,410	1

Hexagon sockets, 1000 V, 250 mm



extra long, 1/2" square drive, 4 edge drive, full insulated, 2-coloured coating-insulation - inside yellow/outside red



Art. no.	WS	drive	TL	kg	PU
110346/250	13	1/2"	250	0,485	1
110348/250	14	1/2"	250	0,500	1
110350/250	17	1/2"	250	0,530	1
110352/250	19	1/2"	250	0,550	1
110354/250	22	1/2"	250	0,580	1
110356/250	24	1/2"	250	0,605	1
110358/250	27	1/2"	250	0,635	1
110360/250	30	1/2"	250	0,660	1
110362/250	32	1/2"	250	0,670	1

Fittings for hexagon socket screws 1000 V



1/2" square drive, 4 edge drive, made of chrome vanadium steel, forged, oil hardened, full insulated, 2-coloured coating-insulation - inside yellow/outside red



Art. no.	WS	drive	TL	kg	PU
300294/EN	4	1/2"	70	0,094	1
300297/EN	5	1/2"	70	0,096	1
300295/EN	6	1/2"	70	0,101	1
300303/EN	8	1/2"	70	0,100	1
300306/EN	10	1/2"	70	0,106	1

Tool case 1000 V



made of plastic, complete with 1/2" tools. Dimension: 450 x 340 x 100 mm.

Contents:

- Reversible ratchet 1/2"
- Extension 125 mm, 1/2"
- Extension 250 mm, 1/2"
- Slip-on-keys 1/2"
- Hexagon sockets 1/2", 10, 12, 13, 14, 17, 19, 22, 24 mm
- Dies for hexagon screws 1/2", 5, 6, 8 mm
- 2C-VDE screwdriver 3,5 x 100 mm

with
locking system



Art. no.	set	drive	kg	PU
220205/EN	16-pieces	1/2"	4,080	1

Tool case „Biber“ 1000 V



made of plastic, complete with 26 security tools.
Dimension: 450 x 340 x 100 mm.

Contents:

- 2C-VDE electrician's screwdrivers 4 x 100, 5,5 x 125, 6,5 x 150, 8 x 175 mm
- VDE combination pliers 200 mm
- VDE side cutters 180 mm
- VDE telephone pliers, straight, 200 mm
- Reversible ratchet 1/2"
- Extension 250 mm, 1/2"
- Hexagon sockets 1/2", 10, 11, 12, 13, 14, 17, 19 mm
- Open end spanners 10, 11, 12, 13, 14, 17, 19 mm
- 2-pole voltage tester
- Cable knife
- Cable stripping knife

with
locking system



Art. no.	set	drive	kg	PU
220146	26-pieces	1/2"	5,000	1



haupa®

...convincing solutions

Germany: HAUPA, Koenigstr. 165-169, 42853 Remscheid, Phone: +49 (0)2191 8418-0, Fax: +49 (0)2191 8418-840, sales@haupa.com